



Hisense television specifications

Product

Commercial model
Factory model
Factory
Description

43Q6NAU
43A70LAVT
Qingdao
108cm (43") Direct LED Television

Document

Specifications form version
Circulation
Status
Revision number
Date
Issued by

HA220120
Restricted, internal use only
Confirmed
1
06/03/2024
Meng

Image display

Panel manufacturer
Panel model
Active display area, horizontal dimension
Active display area, vertical dimension
Screen size (rounded to nearest integer)
Screen size (rounded to nearest integer)
Display technology
Backlight source

Hisense
HD425Y1U52-T0LFK3
mm 941,184
mm 529,416
cm **108**
inch **43**
LCD/ LED lit
Direct LED

Hisense

Resolution (Horiz x Vert)	pixel	3840X2160
Screen curvature radius	mm	-
Colour depth	bit	8bit+FRC
Image refresh frequency	Hz	60
Smooth motion rate		120
3D image		-
Typical brightness of white	cd/m ²	300
Native contrast ratio		4000 : 1
Viewing Angle (Horiz / Vert)	Degrees	178/ 178
Quantum dot		Yes
Wide colour gamut		Yes
KSF phosphor		Yes
UHD Premium		No
Response Time	ms	8

Connectivity

RF- Radio frequency input	1
AV input	1
AV output	0
USB interface type 3.0 (Qty / List...)	0
USB interface type 2.0 (Qty / List ...)	2/ USB1,USB2
Optical digital audio output (SPDIF)	1
Earphone jack	1

HDMI ports

HDMI inputs	3
-------------	---

Hisense

HDMI type 8K@60Hz	No
HDMI type 4K@60Hz with HDCP version 2.2	Yes
HDMI 2.1 compliant input (4K@120Hz)	No
Enhanced Audio Return Channel (eARC)	Yes / HDMI 1
CEC- Consumer Electronics Control via HDMI	Yes

Smart TV

Ethernet port (RJ45 connector)	1
Wi-Fi protocols IEEE 802.11 {b, g, n, ac, ax, ..}	a, b, g, n, ac
Wi-Fi bands	GHz 2.4/5.0
DLNA compliance	Yes
Bluetooth / BT version	Yes / 5.0
Anyview (Screen mirroring)	Yes
BVOD services (Iview, SBS on Demand, 9Now, 7Plus, Tenplay)	Iview, SBS on Demand, 9Now, Tenplay
Installed Applications {List}	Netflix/ Youtube/ Disney+ / Stan/ AppleTV+ / Prime Video.....
Freeview Plus - HbbTV 2.0	Yes
Web browser [Chrome Opera Other]	Odin

Tuner/ Broadcasting

Digital broadcasting (DVB-T / DVB-T2)	Yes / Yes
Video decoder (MPEG2 / MPEG 4)	Yes / Yes
LCN- Logical channel number and DTV Service name support	Yes

Hisense

Teletext / Teletext signal interruption (TAB compliant)	Yes / Yes
Subtitles	Yes
EPG- Electronic programming guide, 7 days for all services	Yes
Audio description (vision impairment aid)	Yes
Parental rating lock	Yes
Analog Tuner	Yes

Image processing

Backlight control	YES
Light sensing	No
Dynamic backlight control	YES
Frame rate control	No
Variable Refresh Rate (VRR)	Yes
FreeSync	No
Auto Low Latency Mode(ALLM)	Yes
Local dimming/ controllable zones	No
Zoom function settings	Auto/ 16:9/ 4:3/ Movie Zoom
HDR - High Dynamic Range for luminance (DMP / Netflix / HDMI)	Yes/ YES / YES
HDR system (HDR10 / HDR10+ / Dolby Vision)	Yes/ No / YES
HLG (Hybrid Log-Gamma) for HDR	Yes
HEVC (H.265) decoder	Yes
Motion enhancement and compensation (MEMC)	Yes
Picture mode	standar,Cinema Day,Cinema Night,Dynamic,Sports

Hisense

Sound

Audio power output per channel	Watt	8
Number of speakers (Tweeter / Midrange / Woofer)		0/2/0
Automatic volume level (AVL)		Yes
Audio equalizer		Yes
Dolby Digital		Yes
Audio enhancement -Type {SRS, BBE, SAP, DBX-TV...}		Dolby ATMOS
Lip-sync adjustment		Yes
Sound mode		Stand,Theatre,Music,Speech,Late Night,Sports

Features

On/off timer	Yes
Power off if no signal	Yes
Sleep timer	Yes
Program lock	Yes
OSD transparency control	Yes
User interface	VIDAA U7
Software version OSD indication	Yes
Legal requirements: Disclaimer / Acceptance of Terms	Yes / Yes
Favourite channels list	Yes
Electronic point of sales (E-POS)	Yes
OTA- Over the air software updates	Yes
Voice command	Yes
Screen mirroring {Miracast, Anyview Cast, ...}	Airplay,Miracast,DLNA,Anyview Cast
Smartphone remote control application {VIDAA app, ...}	Yes
Replaceable demo video for Store mode	Yes
Remote control via serial port	No

USB media player

Personal Video Recorder	Yes
Time Shift	Yes
DTV Recording (EPG scheduling / start from Standby)	Yes / Yes
DivX decoder	No
MPEG4 (H.264) / H.265 decoder	Yes / Yes
DMP- Digital media player content (Music / Video / Photos / Text)	Yes / Yes / Yes / No
DMP Auto-play	No
DMP for UHD content via USB	Yes
DMP File allocation table (FAT / FAT32 / exFAT / NTFS)	Yes / Yes / No / Yes
PVR File allocation table (FAT / FAT32 / exFAT / NTFS)	Yes / Yes / No / Yes

Hotel lock

Protected Hotel lock submenu (Password / fixed code)	No / Yes
Clone function for programs, sound and image settings.	Yes
Sub-menu lock, including tuning lock	Yes
Keyboard lock	Yes
Maximum volume lock	Yes
Power on volume	Yes
Power on, apply default sound/image settings	No
Power on source selection	Yes
Power on RF channel selection	Yes
Power on mode (On / Standby / Last)	Yes / Yes / Yes

Hisense

Inputs access (Enable / Disable) Yes

Hardware

Processor / Cores MT9603EAATAC / 4

Dual Tuner No

Colour (Front bezel, rear, stand) Black / Black / Black

Speakers mounted in enclosure No

Mains power switch No

Swivel base No

Compact packaging Yes

Supply range [Voltage / Frequency] Volt / Hz 100 ~ 240V, 50Hz/60Hz

Standby consumption Watt < 0.5W

Maximum time delay Power On to sound an image sec 30

Installation

Stand area (Width / Depth) mm 754×230

Wall mount dimensions (Horiz x Vert) mm 200*300

Wall mount, screw thread mm M6

VESA compliance Yes

Detachable power cord Yes

Power cord length cm 155

Accessories

Remote controller (Technology / Part number) BT/ERF2AK36H

Battery (size / quantity) AAA/ 2

Hisense

User manual (Available online) / Quick setup guide (Print)	1 / 1
Warranty [In User manual In separate sheet]	In separate sheet
Skype camera (Qty / Part number)	-
3D glasses type [Passive Shutter] / Link [RF IR BT]	-
3D glasses (Qty / Part number)	-

Dimensions

Dimensions with stand (W x H x D)	mm	963×603×230
Dimensions without stand (W x H x D)	mm	963×560×74
Carton box dimensions (W x H x D)	mm	1088×654×132
Net weight (with stand / without stand)	kg	7.2Kg/6.8Kg
Gross weight	kg	10.0Kg
Container load (20ft / 40ft / 40ft HC)		273/561/748

Licensing and certification

EMC- Electromagnetic Compatibility	Yes
CB- Electrical safety	Yes
HDMI	Yes (Hisense internal test)
Dolby Digital	Yes
MEPS- Test report	Yes
ROHS	No
Electrical safety conformity for Australia	Yes

Documentation

CB report and certificate	Yes
EMC report and certificate	Yes

The Hisense logo is displayed in white text on a teal rectangular background.

Hisense

Power cord, plug and connector Australian safety approval
(Required before mass production)

Yes